

09/558,031

MS147303.01/MSFTP110US

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently amended) A system for retrieving data, comprising:

a client device programmed to create a communications channel in response to selecting an element displayed on a page and to communicate information about the element via the communications channel, the client device displaying on the page definitional information related to the selected element based on response data received via the communications channel; ~~wherein~~ the creation of the communications channel is event driven and responsive to at least one user-generated event, the response data received via the communications channel dynamically programs the client device to at least one of copy and transfer at least some of the response data to a container for displaying the definitional information, and the definitional information displayed in the container further includes selectable container elements.

2. (Currently amended) The system of claim 1, ~~wherein~~ the client device is programmed to create a container on the page in response to the element being selected, the container being used to display the definitional information based on response data received via the communications channel.

3. (Currently amended) The system of claim 1, ~~wherein~~ the response data received via the communications channel programs the client device dynamically to display the definitional information on the page.

4. (Cancelled).

5. (Currently amended) The system of claim ~~[[4]]~~ 1, ~~wherein~~ the client device is programmed to create the container on the page in response to the element being selected.

09/558,031

MS147303.01/MSFTP110US

6. (Currently amended) The system of claim 5, ~~wherein~~ the container is positioned adjacent to the selected element.
7. (Cancelled).
8. (Currently amended) The system of claim ~~[[7]]~~ 1, ~~wherein~~, in response to selecting at least one container element, the client device is further programmed to communicate via the communications channel information about the at least one container element.
9. (Currently amended) The system of claim 1, ~~wherein~~ the communications channel is an inline floating frame programmed to access a resource on a server.
10. (Currently amended) The system of claim 9, ~~wherein~~ the resource on the server is an Active Server Page associated with a database.
11. (Currently amended) The system of claim 1, ~~wherein~~ the information about the element includes at least one of a uniform resource locator and metadata associated with the displayed page.
12. (Currently amended) The system of claim 1, ~~wherein~~ the selected element includes at least one word.
13. (Currently amended) The system of claim 1, ~~wherein~~ the displayed page further includes a plurality of selectable elements and the selected element includes at least one of the selectable elements.

09/558,031

MS147303.01/MSFTP110US

14. (Currently amended) A system for retrieving data, comprising:

a first computer programmed to, in response to selecting at least one element on a page displayed at the first computer, create a communications channel at the first computer and send first data indicative of the selected element via the communications channel; wherein the creation of the communications channel is event driven and responsive to at least one user-generated event; and

a second computer operative to receive the first data, the second computer being programmed to send to the communications channel response data related to the selected element~~[[;]]~~, wherein the first computer displays on the page definitional information relating to the at least one selected element based on the response data, the first computer is further programmed, in response to the element being selected, to create a container on the page, the container being employed to display the definitional information based on the response data, the definitional information displayed in the container further includes selectable container elements.

15. (Cancelled).

16. (Cancelled).

17. (Currently amended) The system of claim ~~[[16]]~~ 14, wherein, in response to selecting at least one container element, the first computer is further programmed to communicate to the second computer via the communications channel information about the at least one container element.

18. (Currently amended) The system of claim 14, wherein the response data contains computer-executable instructions for programming the first computer dynamically to display the definitional information on the page based on the response data.

09/558,031

MS147303.01/MSFTP110US

19. (Currently amended) The system of claim 18, ~~wherein~~ the computer-executable instructions further program the first computer to at least one of copy and transfer at least some of the response data to a container for displaying definitional information on the page relative to the selected element based on the at least some of the response data.

20. (Currently amended) The system of claim 19, ~~wherein~~, in response to the element being selected, the first computer is programmed to create the container on the page.

21. (Currently amended) The system of claim 20, ~~wherein~~ the container is positioned adjacent to the selected element.

22. (Currently amended) The system of claim 14, ~~wherein~~ the communications channel includes an inline floating frame programmed to access a resource at the second computer.

23. (Currently amended) The system of claim 22, ~~wherein~~ the resource at the second computer is an Active Server Page associated with a database.

24. (Currently amended) The system of claim 14, ~~wherein~~ the first data further includes at least one of a uniform resource locator and metadata associated with the page displayed at the first computer.

25. (Currently amended) The system of claim 14, ~~wherein~~ the selected element includes at least one word.

26. (Currently amended) The system of claim 14, ~~wherein~~ the page displayed at the first computer further includes a plurality of selectable elements, the selected element including at least one of the plurality of selectable elements.

09/558,031

MS147303.01/MSFTP110US

27. (Currently amended) A computer-readable medium having computer-executable instructions for performing acts comprising:

creating a channel at a first computer for communicating information in response to selecting an element on a displayed page; ~~wherein~~ creating the channel is event driven and responsive to at least one user-generated event;

submitting to a second computer via the channel data indicative of the selected element;

receiving at the first computer from the second computer data corresponding to the selected element via the channel; and

creating a container on the displayed page in response to the element being selected and displaying on the displayed page definitional information in the container based on the received data, the definitional information displayed in the container further includes selectable container elements, the computer-readable medium having further computer-executable instructions for, in response to selecting at least one container element, submitting to the second computer via the channel information about the at least one container element.

28. (Cancelled).

29. (Cancelled).

30. (Currently amended) The computer-readable medium of claim 27, ~~wherein~~ the received data further includes computer-executable instructions dynamically programming the first computer to display the definitional information on the displayed page.

31. (Currently amended) The computer-readable medium of claim 30, ~~wherein~~ the received data further includes computer-executable instructions for dynamically programming the first computer to at least one of copy and transfer at least some of the received data from the channel to a container for displaying on the page definitional information based on at least some of the received data.

09/558,031

MS147303.01/MSFTP110US

32. (Previously presented) The computer-readable medium of claim 31 having further computer-executable instructions for creating the container on the displayed page of the first computer in response to the element being selected.

33. (Currently amended) The computer-readable medium of claim 27, ~~wherein~~ the channel is an inline floating frame programmed to access a resource at the second computer.

34. (Currently amended) The computer-readable medium of claim 33, ~~wherein~~ the resource at the second computer is an Active Server Page.

35. (Currently amended) The computer-readable medium of claim 27, ~~wherein~~ the data indicative of the selected element further includes at least one of a uniform resource locator and metadata associated with the displayed page.

36. (Currently amended) The computer-readable medium of claim 27, ~~wherein~~ the displayed page further includes a plurality of selectable elements, the selected element including at least one of the selectable elements.

37. (Currently amended) A method for dynamically retrieving data, comprising:

- selecting an element on a page displayed at a first computer;
- creating at the first computer a channel for communicating information about the element~~[[;]]~~, ~~wherein~~ creating the channel is event driven and responsive to at least one user-generated event;
- submitting to a second computer data indicative of the selected element via the channel;
- receiving at the first computer response data corresponding to the selected element; ~~and~~
- creating a container on the displayed page in response to the element being selected;

09/558,031

MS147303.01/MSFTP110US

displaying ~~on the page~~ definitional information relating to the selected element within the container based at least in part on the received data, the definitional information displayed in the container further includes selectable container elements.

38. (Cancelled).

39. (Currently amended) The method of claim ~~[[38]]~~ 37, ~~wherein the definitional information displayed in the container further includes selectable container elements, the method~~ further including, in response to selecting at least one container element, sending to the second computer via the channel data indicative of the at least one container element.

40. (Currently amended) The method of claim 39, ~~wherein~~ the received data further includes computer-executable instructions for dynamically programming the first computer to display the definitional information on the displayed page.

41. (Currently amended) The method of claim 40, ~~wherein~~ the received data further includes computer-executable instructions for dynamically programming the first computer to at least one of copy and transfer at least some of the received data from the channel to a container for displaying on the page definitional information based on at least some of the retrieved data.

42. (Previously presented) The method of claim 41, further including creating the container on the displayed page of the first computer in response to the element being selected.

43. (Currently amended) The method of claim 37, ~~wherein~~ the channel is an inline floating frame programmed to access a resource at the second computer.

44. (Currently amended) The method of claim 43, ~~wherein~~ the resource at the second computer is an Active Server Page associated with a database.

09/558,031

MS147303.01/MSFTP110US

---

45. (Currently amended) The method of claim 37, ~~wherein~~ the data indicative of the selected element further includes at least one of a uniform resource locator and metadata associated with the displayed page.

46. (Currently amended) The method of claim 37, ~~wherein~~ the displayed page further includes a plurality of selectable elements, the selected element including at least one of the selectable elements.